

Milex

gelato in motion




PERFECT FOR :
GELATO
ICE-CREAM
YOGURT
SORBET

ARTISAN PRO SERIES GELATO MACHINE

ARTISAN PRO—DISPLAY, BATCHING AND FRESH STORAGE **ALL IN ONE**



=



PRODUCT FOR: GELATO ICE—CREAM SHOP, CAFE, PASTRY, RESTAURANT, BAR, HOTEL AND FAIRS

ARTISAN PRO — DISPLAY, BATCHING AND FRESH STORAGE ALL IN ONE



PRO V2



PRO V4



PRO V6



PRO V8



PRO VX



PRO V4 M CART



ARTISAN PRO V2

PRO V2	EU Model	Asia Pacific Model	North American Model	Middle East Model
Input (Maximum / Minimum)	2.5L / 1L	2.5L / 1L	2.5L / 1L	2.5L / 1L
Hourly Production	20L / h	20L / h	20L / h	20L / h
AC Voltage	Single phase 220V, 50 / 60hz	Single phase 220V, 50 / 60hz	Single phase 220V, 50 / 60hz	Single phase 220V, 50 / 60hz
Dimension	760 x 680 x 920mm	760 x 680 x 920mm	760 x 680 x 920mm	760 x 680 x 920mm
Energy Consumption	1900w	1900w	1900w	1900w
Net Weight	129kg	128kg	128kg	128kg
Mode Configuration	Production, Fresh-keeping, Clean, Night	Production, Fresh-keeping, Clean, Night	Production, Fresh-keeping, Clean, Night	Production, Fresh-keeping, Clean, Night
Compressor	Embraco	Embraco	Embraco	Embraco
Refrigerant	404A	404A	404A	404A
Condenser	EBM	EBM	EBM	EBM
Expansion valve	Danfoss	Danfoss	Danfoss	Danfoss
Thickness of Pot Lid	3.5mm	3.5mm	2.5mm	2.5mm
Exterior Material	304 Stainless steel	304 Stainless steel	304 Stainless steel	304 Stainless steel
Structural Material	304 Stainless steel	201 Galvanized iron	201 Galvanized iron	201 Galvanized iron
External Fixture Set	304 Stainless steel	Dupont Plastic	Dupont Plastic	Dupont Plastic
Cleaning Outlet	Standard	Standard	Optional	Optional
Led Lighting	Standard	Standard	Optional	Optional
Warranty	12 Months	12 Months	12 Months	12 Months



ARTISAN PRO V4

PRO V4	EU Model	Asia Pacific Model	North American Model	Middle East Model
Input (Maximum / Minimum)	2.5L / 1L	2.5L / 1L	2.5L / 1L	2.5L / 1L
Hourly Production	40L / h	40L / h	40L / h	40L / h
AC Voltage	Single phase 220V, 50 / 60hz	Single phase 220V, 50 / 60hz	Single phase 220V, 50 / 60hz	Single phase 220V, 50 / 60hz
Dimension	1000 x 930x 920mm	1000 x 930x 920mm	1000 x 930x 920mm	1000 x 930x 920mm
Energy Consumption	3800w	3800w	3800w	3800w
Net Weight	240kg	240kg	240kg	240kg
Mode Configuration	Production, Fresh-keeping, Clean, Night	Production, Fresh-keeping, Clean, Night	Production, Fresh-keeping, Clean, Night	Production, Fresh-keeping, Clean, Night
Compressor	Embraco	Embraco	Embraco	Embraco
Refrigerant	404A	404A	404A	404A
Condenser	EBM	EBM	EBM	EBM
Expansion valve	Danfoss	Danfoss	Danfoss	Danfoss
Thickness of Pot Lid	3.5mm	3.5mm	2.5mm	2.5mm
Exterior Material	304 Stainless steel	304 Stainless steel	304 Stainless steel	304 Stainless steel
Structural Material	304 Stainless steel	201 Galvanized iron	201 Galvanized iron	201 Galvanized iron
External Fixture Set	304 Stainless steel	Dupont Plastic	Dupont Plastic	Dupont Plastic
Cleaning Outlet	Standard	Standard	Optional	Optional
Led Lighting	Standard	Standard	Optional	Optional
Warranty	12 Months	12 Months	12 Months	12 Months



ARTISAN PRO V6

PRO V6	EU Model	Asia Pacific Model	North American Model	Middle East Model
Input (Maximum / Minimum)	2.5L / 1L	2.5L / 1L	2.5L / 1L	2.5L / 1L
Hourly Production	60L / h	60L / h	60L / h	60L / h
AC Voltage	Three phase 380V, 50/60hz	Three phase 380V, 50/60hz	Three phase 380V, 50/60hz	Three phase 380V, 50/60hz
Dimension	1500 x 900 x900m	1500 x 900 x900m	1500 x 900 x900m	1500 x 900 x900m
Energy Consumption	5700w	5700w	5700w	5700w
Net Weight	360kg	360kg	360kg	360kg
Mode Configuration	Production, Fresh-keeping, Clean, Night	Production, Fresh-keeping, Clean, Night	Production, Fresh-keeping, Clean, Night	Production, Fresh-keeping, Clean, Night
Compressor	Embraco	Embraco	Embraco	Embraco
Refrigerant	404A	404A	404A	404A
Condenser	EBM	EBM	EBM	EBM
Expansion valve	Danfoss	Danfoss	Danfoss	Danfoss
Thickness of Pot Lid	3.5mm	3.5mm	2.5mm	2.5mm
Exterior Material	304 Stainless steel	304 Stainless steel	304 Stainless steel	304 Stainless steel
Structural Material	304 Stainless steel	201 Galvanized iron	201 Galvanized iron	201 Galvanized iron
External Fixture Set	304 Stainless steel	Dupont Plastic	Dupont Plastic	Dupont Plastic
Cleaning Outlet	Standard	Standard	Optional	Optional
Led Lighting	Standard	Standard	Optional	Optional
Warranty	12 Months	12 Months	12 Months	12 Months



ARTISAN PRO V8

PRO V8	EU Model	Asia Pacific Model	North American Model	Middle East Model
Input (Maximum / Minimum)	2.5L / 1L	2.5L / 1L	2.5L / 1L	2.5L / 1L
Hourly Production	72L / h	72L / h	72L / h	72L / h
AC Voltage	Three phase 380V, 50/60hz	Three phase 380V, 50/60hz	Three phase 380V, 50/60hz	Three phase 380V, 50/60hz
Dimension	2000 x 900 x920m	2000 x 900 x920m	2000 x 900 x920m	2000 x 900 x920m
Energy Consumption	7600w	7600w	7600w	7600w
Net Weight	460kg	460kg	460kg	460kg
Mode Configuration	Production, Fresh-keeping, Clean, Night	Production, Fresh-keeping, Clean, Night	Production, Fresh-keeping, Clean, Night	Production, Fresh-keeping, Clean, Night
Compressor	Embraco	Embraco	Embraco	Embraco
Refrigerant	404A	404A	404A	404A
Condenser	EBM	EBM	EBM	EBM
Expansion valve	Danfoss	Danfoss	Danfoss	Danfoss
Thickness of Pot Lid	3.5mm	3.5mm	2.5mm	2.5mm
Exterior Material	304 Stainless steel	304 Stainless steel	304 Stainless steel	304 Stainless steel
Structural Material	304 Stainless steel	201 Galvanized iron	201 Galvanized iron	201 Galvanized iron
External Fixture Set	304 Stainless steel	Dupont Plastic	Dupont Plastic	Dupont Plastic
Cleaning Outlet	Standard	Standard	Optional	Optional
Led Lighting	Standard	Standard	Optional	Optional
Warranty	12 Months	12 Months	12 Months	12 Months



PRO V4 M CART



SAMPLE OF CUSTOMIZATION

PRO V4 M CAR	EU Model	Asia Pacific Model	North American Model	Middle East Model
Input (Maximum / Minimum)	2.5L / 1L	2.5L / 1L	2.5L / 1L	2.5L / 1L
Hourly Production	40L / h	40L / h	40L / h	40L / h
AC Voltage	Single Phase 220V, 50/60hz	Single Phase 220V, 50/60hz	Single Phase 220V, 50/60hz	Single Phase 220V, 50/60hz
Refrigeran	404A	404A	404A	404A
Refrigeration Form	Air coolin	Air coolin	Air coolin	Air coolin
Dimension	1500 x 920 x 2400mm	1500 x 920 x 2400mm	1500 x 920 x 2400mm	1500 x 920 x 2400mm
Mode Configuration	Production, Fresh-keeping, Clean, Night	Production, Fresh-keeping, Clean, Night	Production, Fresh-keeping, Clean, Night	Production, Fresh-keeping, Clean, Night
Net Weight	360kg	360kg	360kg	360kg
Energy Consumption	3800w	3800w	3800w	3800w
Compresso	Embraco	Embraco	Embraco	Embraco
Condenser	EBM	EBM	EBM	EBM
Structural Material	201 Galvanized iron	304 Stainless steel	304 Stainless steel	304 Stainless steel
External Fixture Set	Dupont Plastic	304 Stainless steel	304 Stainless steel	304 Stainless steel
Cleaning Outlet	Optional	Standard	Standard	Standard
Led Lighting	Standard	Standard	Standard	Standard
Warranty	12 Months	12 Months	12 Months	12 Months
Detachable Float Canvas Roof	Optional	Optional	Optional	Optional
Stainless Steel Cart Handle	Standard	Standard	Standard	Standard
Brand signage	Optional	Optional	Standard	Standard
Decorative Wheel	Optional	Optional	Standard	Standard
Display Board (Menu Board)	Optional	Optional	Standard	Standard

LATEST CONCEPT AND INNOVATIVE TECHNOLOGY



ALL IN ONE HIGH PERFORMANCE ICE CREAM MACHINE

As one of the most advanced equipment in the industry, the Artisan Pro series front-bar (serving area) ice-cream machine combined functions of batch freezer ,blast freezer and display show case into one compact intuitive equipment, designed to produce, display, preserve and serve.


DISPLAYABLE BATCHING AND CHURNING

The Artisan Pro series gelato/ice-cream machine is a unique concept to display the process of making fresh gelato/ice-cream right in front of customers.




EASY INTUITIVE AUTO MODE FOR NO EXPERIENCE OPERATOR

With standard pre-programmed options, all need to do is pour ice-cream mix in the machine and press start to begin the auto batching and churning program, the ice cream will be ready to serve in less than 15 min.




EACH POT WORKS INDEPENDENTLY

Each pot has its own independent touch screen control system, motor system and compressor.




ADVANCED FRESH STORAGE MODE REFILLING ANY TIME FOR CONTINUOUS PRODUCTION THE NIGHT MODE



SMART PROFESSIONAL MODE FOR PROFESSIONAL CHEF

With over 50 pre-programmed options, Artisan Pro series gelato ice-cream machine allow professionals to produce and create the desired quantity of any kinds of ice-cream with: Dynamic temperature control, adjustable agitator speed and various configuration during production and (fresh keeping mode) storage to achieve the perfect gelato structure and different optimal textures.



FLEXIBLE LAYOUTS

With the advanced air cooling system, the compact size Artisan pro series ice-cream machine can be place anywhere indoor or outdoor with flexible applications and layouts.


embraco

Danfoss MITSUBISHI

Honeywell

TOSHIBA

ebmpapst



TOP STANDARD MATERIAL AND CRAFTSMANSHIP

Both body, frame and exterior components are made from 304 stainless steel.

TOP STANDARD COMPONENTS
HIGH RELIABILITY
EASY REPAIRS AND MAINTENANCE DESIGN



ADVANCED AIR COOLING SYSTEM (PATENTED)

The front, left and the right side of the machine can be completely blocked up, allows the machine to fit in any bar counter.



EASY TO CLEAN

With only three parts to be removed and convenient water drain, one operator can clean as many as 5 machines in 15 min.



ENHANCED DISPLAY WITH LED

Enabling the customer to view perfectly the process of making fresh gelato ice-cream in churning motion.



DISPLAY SLOTS FOR FLAVOR TAGS

Keep the machine top visually neat as there is no need for additional flavor display any more.



CUSTOMIZATION OPTIONS

- Logo laser etching (free)
- Colored stainless steel penal (free)
- Customized Lid design (\$1000 mould fee)




FREE 1-YEAR WARRANTY AND EXTENDED WARRANTY AVAILABLE



**THE SECRET OF MAKING
INCOMPARABLE FRESH
GELATO ICE-CREAM:**

THE ADVANCED CHURNING PROGRAM

The state of the art technology never allows the ice cream to over freeze or lose its creamy texture by continuously churning the ice cream, keep it being actively fresh with exceptional silky smooth texture.




1.Pour the gelato mixture into the pot

2.Select the batching program

3.Auto batching & churning

4.Ready to serve

GELATO / ICE-CREAM SHOP



CÁFE, PATISSERIE, RESTAURANT, HOTEL AND BARS



THEME PARK, FAIRS AND EVENTS



Milestac

Milestac Co Ltd is one of the leading company for the manufacture of ice cream equipment. We are devoted to the research and development of advanced gelato machine. Starting from long years of work experience matured in Italy, a factory we set up in Asia for producing technological advanced gelato machine with top standard craftsmanship and latest design concept. We have taken pride in the development of providing the cost-effective, reliable and smartest possible equipment for making artisanal fresh gelato. Our products has been used by thousands of customers all over the world, including the most popular and prestigious brand.

Exclusive customer service — Any commercial activity, whether Gelato parlour, Patisserie, Restaurant, Cafe, Hotel and Theme park has its own needs. The combination of matured skills and professional experience acquired in different fields such as design, engineering and management of retail trade, gives origin to our exclusive service. We have a sophisticated team to provide full scope of customization services to achieve the optimization for client's demand. We also provide design service and retail product solutions, including product scheme, appearance and packaging solutions tailored to the brand identity of our clients.



GELATO & ICE CREAM SHOP



ARTISANAL GELATO CONE, CUPS AND POPSICLES



CÁFE, PATISSERIE, RESTURANT, HOTEL



GELATO & ICE CREAM CAKE, COOKIES, PANCAKES SANDWICH AND DRINKS



DIVERSIFIED SCENE: THEME PARK, BARS AND ALL KINDS OF FAIRS

POPULAR BRAND CLIENTS



CONTACT US

Milestac Co Ltd
Building A, Inventronic Plaza
310051, Hangzhou China

Tel: 400-1001-330
Email: info@milestac.com

www.milestac.com
https://milestac.en.alibaba.com